



KMR Gas operated nailers

 **KMR R20/35-G645E** Page 75



 **KMR 3884** Page 74



 **KMR 3883** Page 73



 **KMR D34/90-G641E**

Page 76



 **KMR AN34/60-G642E** Page 78



 **KMR WZK/40-G644E** Page 82

 **KMR CN40-G643E** Page 79

The advantage
 **KMR:**
Compatible with
almost all tools on
the market



100 % independent
with our fuel cell



 **KMR**
box
robust
waterproof
practical






Mini-brad nailer 3883

For nails 1.2 x 15 - 50 mm

Code 12100610



New

SK350-G646E

12100703

Replaces tool 3883. Available at the end of 2021/22

Single actuation

Weight 2.3 kg

Shots per cartridge ca. 1.100

Dimensions L 320 mm, W 86 mm, H 285 mm

Properties

- front plate opening
- adjustable depth setting
- ideal for fastening all types of strips
- ergonomically balanced
- with belt hook
- includes 2 batteries and charger

Applications

Joiners, furniture, window and door manufacturers. e.g. for fastening strips, profiles, ornaments, decorations, glass strips




4 045759 056584



Gas cartridge (18g 30 ml) PU = 12 pcs

Code 10900609



Mini brads 18 Gauge - 1.2 mm											
Code	L (mm)		3486	3483	3704	3719	3489	3739	3883	Box	Carton
10300846	16	GALV	●	●	●		●	●	●	5.000	100.000
10300847	25	GALV	●	●	●	●	●	●	●	5.000	60.000
10300781	30	GALV	●	●	●	●	●	●	●	5.000	100.000
10300782	32	GALV	●	●	●	●	●	●	●	5.000	60.000
10300783	35	GALV	●	●	●	●	●	●	●	5.000	60.000
10300784	38	GALV		●	●	●	●	●	●	5.000	60.000
10300848	40	GALV		●	●	●	●	●	●	5.000	50.000
10300786	45	GALV		●	●		●	●	●	5.000	60.000
10300849	50	GALV		●	●		●	●	●	5.000	40.000
10300789	20	A 2 ▲	●	●	●		●	●	●	10.000	90.000
10300790	25	A 2 ▲	●	●	●	●	●	●	●	5.000	100.000
10300791	32	A 2 ▲	●	●	●	●	●	●	●	5.000	30.000
10300792	40	A 2 ▲		●	●	●	●	●	●	5.000	60.000
10300850	50	A 2 ▲		●	●		●	●	●	5.000	40.000





DA Brad nailer 3884

For nails 1.8 x 25 – 64 mm

Code 12100611



Single actuation

Weight 2.3 kg

Shots per cartridge ca. 1.100


Dimensions L 320 mm, W 86 mm, H 270 mm

Properties

- front plate opening
- adjustable depth setting
- ideal for eave overhang trims and boarding
- rubber based safety yoke prevents impressions on the wood
- comes with 2 batteries and charger

Applications

Carpentry and timber construction, roofers, joiners, interior finishers. e.g. for eave overhang trims, strips, panelling, rails, outer boarding, crates, packaging



New

SKDA664-G648E

12100705

Replaces tool 3884. Available 2021/22



4 045759 056591




Gas cartridge (18g 30 ml) PU = 12 pcs

Code 10900609

DA brads 15 Gauge – 1.8 mm

Code	L (mm)		3484	3737	3884	Box	Carton
10300760	25	GALV	●	●	●	4.000	16.000
10300761	32	GALV	●	●	●	4.000	16.000
10300763	38	GALV	●	●	●	4.000	16.000
10300764	44	GALV	●	●	●	4.000	16.000
10300766	50	GALV	●	●	●	4.000	16.000
10300768	56	GALV	●	●	●	4.000	16.000
10300770	64	GALV	●	●	●	4.000	16.000
10300762	38	A 2 ▲	●	●	●	4.000	16.000
10300765	50	A 2 ▲	●	●	●	4.000	16.000
10300767	56	A 2 ▲	●	●	●	4.000	16.000
10300769	64	A 2 ▲	●	●	●	4.000	16.000



Metal connector nailer R20/35-G645E

For nails for metal connectors 22 – 35 mm K 20°

Code 12100708



Single actuation

Weight 2.5 kg
Shots per cartridge ca. 1.200
Dimensions L 327 mm, W 137 mm, H 310 mm

Properties

- with depth adjustment
- ideal for fixing sheet metal retaining clips on the roof
- comes with 2 Li-Ion batteries and charger
- powerful Li-Ion battery with LED charge indicator

Applications


Roofers, tinsmiths, carpenters. e.g. for fastening fixed and moving retaining clips for metal roofing, zinc panelling and roofing





Gas cartridge (18g 30 ml) PU = 12 pcs

Code 10900609



Nails for metal connectors, strips ring shank Mini K 20°				
Code	Ø x L (mm)	3554	R20/35-G645E (3854)	
10402049	2.8 x 25 FEUV	●	●	Box 2.200 Pallet 184.800
10402050	2.8 x 31* FEUV	●	●	Box 2.200 Pallet 184.800
10402051	2.5/2.8 x 25 A 2 	●	●	Box 2.200 Pallet 184.800
10402052	2.5/2.8 x 31 A 2 	●	●	Box 2.200 Pallet 184.800





D head nailer D34/90-G641E

For nails 2.8 x 50 – 3.1 x 90 mm 34°
for paper- and plastic collated nails

Code 12100699

Single actuation

Weight 3.7 kg
Shots per cartridge ca. 1.200
Dimensions L 382 mm, W 108 mm, H 377 mm

KMR
incl.
2 Li-Ion
batteries

Properties

- powerful Li-Ion battery with LED charge indicator
- light and well balanced
- depth adjustment
- extremely powerful
- anti-slip-nose
- protective cap for sensitive surfaces
- comes with 2 Li-Ion batteries and charger

Applications

Roofing and facade, timber construction, wood packaging, measurement and assembly construction, farming, woods and forestry, carpentry




Gas cartridge (40g 80 ml) PU = 12 pcs


Code 10900608

Smooth shank nail strips - P 34° D head in box with gas cartridge (GC)


D34/90-G641E

Code	Ø x L (mm)			(3890)	3533		Box	Pallet
10401765	2.8 x 50	BK	CE	●		2 GC	2.200	184.800
10401766	2.8 x 64	BK	CE	●	●	2 GC	2.200	184.800
10401767	2.8 x 70	BK	CE	●	●	2 GC	2.200	184.800
10401768	2.8 x 80	BK	CE	●	●	2 GC	2.200	158.400
10401769	3.1 x 80	BK	CE	●	●	2 GC	2.200	158.400
10401770	3.1 x 90	BK	CE	●	●	2 GC	2.200	158.400
10401771	2.8 x 64	GALV	CE	●	●	2 GC	2.200	184.800
10401772	2.8 x 70	GALV	CE	●	●	2 GC	2.200	184.800
10401773	2.8 x 80	GALV	CE	●	●	2 GC	2.200	158.400
10401774	3.1 x 80	GALV	CE	●	●	2 GC	2.200	158.400
10401775	3.1 x 90	GALV	CE	●	●	2 GC	2.200	158.400







Ring shank nail strips - P 34° D head in box with gas cartridge (GC)									
		D34/90-G641E							
Code	Ø x L (mm)			(3890)	3533			Box	Pallet
10401776	2.8/3.1 x 64	BK	CE	●	●	2 GC		2.200	184.800
10401777	2.8/3.1 x 70	BK	CE	●	●	2 GC		2.200	184.800
10401778	2.8/3.1 x 75	BK	CE	●	●	2 GC		2.200	158.400
10401779	2.8/3.1 x 80	BK	CE	●	●	2 GC		2.200	158.400
10401780	3.1/3.4 x 90	BK	CE	●	●	2 GC		2.200	158.400
10401781	2.8/3.1 x 64	GALV	CE	●	●	2 GC		2.200	184.800
10401782	2.8/3.1 x 70	GALV	CE	●	●	2 GC		2.200	184.800
10401783	2.8/3.1 x 75	GALV	CE	●	●	2 GC		2.200	158.400
10401784	2.8/3.1 x 80	GALV	CE	●	●	2 GC		2.200	158.400
10401926	3.1/3.4 x 80	GALV	CE	●	●	2 GC		2.200	158.400
10401785	3.1/3.4 x 90	GALV	CE	●	●	2 GC		2.200	158.400




Ring shank nail strips K 34° oval head (full head) in box									
		D34/90-G641E							
Code	Ø x L (mm)			(3890)	3533			Box	Pallet
10401816	2.8/3.1 x 50	A 2	CE	●				2.000	168.000
10401817	2.8/3.1 x 65	A 2	CE	●	●			1.250	105.000
10401818	2.8/3.1 x 80	A 2	CE	●	●			1.000	84.000



Nail strips, nail screws K34° -TX20 in box ideal for fastening clapboard and cover boarding as well as for fastening cement composite boards such as James Hardie or Cedral from Eternit									
		D34/90-G641E							
Code	Ø x L (mm)			(3890)	3533			Box	Pallet
10401915	2.8/3.2 x 50	A 2	CE TX20	●				1.250	105.000
10401916	2.8/3.2 x 65	A 2	CE TX20	●	●			1.000	84.000
10401917	2.8/3.2 x 80	A 2	CE TX20	●	●			1.000	84.000



Smooth shank nail strips - P 34° D head in box									
		D34/90-G641E							
Code	Ø x L (mm)			(3890)	3533			Box	Pallet
10401720	2.8 x 50	BK	CE	●				2.200	184.800
10401721	2.8 x 64	BK	CE	●	●			2.200	184.800
10401722	2.8 x 70	BK	CE	●	●			2.200	184.800
10401723	2.8 x 80	BK	CE	●	●			2.200	158.400
10401724	3.1 x 80	BK	CE	●	●			2.200	158.400
10401725	3.1 x 90	BK	CE	●	●			2.200	158.400
10401726	2.8 x 64	GALV	CE	●	●			2.200	184.800
10401727	2.8 x 70	GALV	CE	●	●			2.200	184.800
10401728	2.8 x 80	GALV	CE	●	●			2.200	158.400
10401729	3.1 x 80	GALV	CE	●	●			2.200	158.400
10401730	3.1 x 90	GALV	CE	●	●			2.200	158.400



Ring shank nail strips - P 34° D head in box									
		D34/90-G641E							
Code	Ø x L (mm)			(3890)	3533			Box	Pallet
10401731	2.8/3.1 x 64	BK	CE	●	●			2.200	184.800
10401732	2.8/3.1 x 70	BK	CE	●	●			2.200	184.800
10401733	2.8/3.1 x 75	BK	CE	●	●			2.200	158.400
10401734	2.8/3.1 x 80	BK	CE	●	●			2.200	158.400
10401735	3.1/3.4 x 90	BK	CE	●	●			2.200	158.400
10401736	2.8/3.1 x 64	GALV	CE	●	●			2.200	184.800
10401737	2.8/3.1 x 70	GALV	CE	●	●			2.200	184.800
10401738	2.8/3.1 x 75	GALV	CE	●	●			2.200	158.400
10401739	2.8/3.1 x 80	GALV	CE	●	●			2.200	158.400
10401740	3.1/3.4 x 90	GALV	CE	●	●			2.200	158.400



Positive placement nailer AN34/60-G642E

For nails 4.0 x 40 – 4.0 x 60 mm
Paper- and plastic collated

Code 12100700



34°

New



Single actuation

Weight 4.02 kg

Shots per cartridge ca. 1.200

Dimensions L 425 mm, W 108 mm, H 393 mm

KMR
incl.
2 Li-Ion
batteries

Properties

- quick and easy hole finding thanks to special nosepiece
- precise driving thanks to depth adjustment
- belt hook
- light and well balanced
- powerful Li-Ion battery with LED charge indicator
- comes with 2 Li-Ion batteries and charger

Applications

Carpentry, timber engineers, renovation.

For joist hangers, angle joints, perforated plates




4 045759 055037



Gas cartridge (40g 80 ml) PU = 12 pcs


Code 10900608



Positive placement nail strips - P 34° paper collated in box with gas cartridge (GC)

AN34/60-G642E
(3822)

Code	Ø x L (mm)					Box	Pallet
10401923	4.0 x 40 GALV	CE	●		1 GC	1.250	105.000
10401924	4.0 x 50 GALV	CE	●		1 GC	1.250	105.000
10401925	4.0 x 60 GALV	CE	●		1 GC	1.250	105.000




Positive placement nail strips - K 34° plastic collated in carton

AN34/60-G642E
(3822)

Code	Ø x L (mm)			3734		Carton	Pallet
10401447	4.0 x 40* GALV	CE	●	●		1.000	144.000
10401448	4.0 x 50* GALV	CE	●	●		1.000	144.000
10401449	4.0 x 60* GALV	CE	●	●		1.000	144.000

* on request



Positive placement nail strips - P 34° paper collated in box

AN34/60-G642E
(3822)

Code	Ø x L (mm)			3734		Box	Pallet
10401741	4.0 x 40 GALV	CE	●	●		1.250	105.000
10401742	4.0 x 50 GALV	CE	●	●		1.250	105.000
10401743	4.0 x 60 GALV	CE	●	●		1.250	90.000



Concrete nailer CN40-G643E

For nails 2.6 x 15 – 3.0 x 40 mm

Code 12100701



New



Single actuation

Weight 3.8 kg

Shots per cartridge ca. 1.200

Dimensions L 327 mm, W 130 mm, H 385 mm

KMR
incl.
2 Li-Ion
batteries

Properties

- high penetration force
- adjustable penetration depth
- with belt hook
- rubber cap protects against dirt and concrete slivers
- supporting base for optimum penetration angle
- powerful Li-Ion battery with LED charge indicator
- comes with 2 Li-ion batteries and charger

Applications

Concrete and steel fastening in drywall structures and in sanitary applications, metal and drywall profiles and limestone/concrete/steel beam, metal to wood, wood to concrete/steel



4 045759 055051




Gas cartridge (40g 80 ml) PU = 12 pcs

Code 10900608

Strip steel nail - K 0° Typ CN with gas cartridge (GC)

CN40-G643E
(3840)

Code	Ø x L (mm)			Box	Carton	Pallet
10401744	2.6 x 15	●	1 GC	1.000	10.000	180.000
10401745	2.6 x 20	●	1 GC	1.000	10.000	180.000
10401746	2.6 x 25	●	1 GC	1.000	10.000	180.000
10401747	2.6 x 30	●	1 GC	1.000	10.000	180.000
10401748	2.6 x 35	●	1 GC	1.000	10.000	180.000
10401749	2.6 x 40	●	1 GC	1.000	10.000	180.000





Gas operated concrete nailer accessories



Pipe clip LPH

Code	L (mm)	Box	Carton
109 00 624	15 - 18 mm	100	600
109 00 625	20 - 25 mm	20	300
109 00 626	25 - 32 mm	50	200



Pipe clip LPX

Code	L (mm)	Box	Carton
109 00 627	15 - 18 mm	100	400
109 00 628	20 - 25 mm	50	200
109 00 629	25 - 32 mm	50	200



Cable tie holder

Code	Box	Carton
109 00 630	100	2400



Metal clip

Code	Ø (mm)	Box	Carton
109 00 631	Ø 16 mm	100	1200
109 00 632	Ø 18 mm	100	1200
109 00 633	Ø 20 mm	100	1200
109 00 634	Ø 22 mm	100	1200
109 00 635	Ø 25 mm	100	1200
109 00 636	Ø 28 mm	100	600
109 00 637	Ø 32 mm	100	600



Plastic cable clip LPH

Code	Box	Carton
109 00 639	40	400



Threaded rod hanger M6 - M8

Code	Box	Carton
109 00 638	100	1000





**The partner
of craftsmen**



Fencing nailer WZK/40-G644E

For staples WZK 40 mm

Code 12100702

Single actuation

Weight 3.93 kg

Shots per cartridge ca. 1.200

Dimensions L 373 mm, W 108 mm, H 356 mm

New


KMR
incl.
2 Li-ion
batteries

Properties

- powerful Li-Ion battery with LED charge indicator
- light and well balanced
- special nose for easy fastening of the fencing wire
- single shot actuation
- penetration depth adjustment
- for fencing staples of 25 - 40 mm length
- extremely powerful, even in frozen wood
- high capacity Li-Ion battery with LED charge indicator
- comes with 2 Li-ion batteries and charger

Applications


Easy fastening of all wire fencing, barbed wire, vineyard wire and cage wires onto wood





Gas cartridge (40g 80 ml) PU = 12 pcs


Code 10900608



WZK staples in box with gas cartridge (GC)

Code	L (mm)		WZK40-644E (3845)		Box	Pallet
10005704	40/40*	BZ DP	●	2 GC	2.520	181.440

* further lengths on request



New!

All information on tools, fasteners and DoPs available for download on www.kmr-group.eu



Gas operated nailers