

**HERRAMIENTAS
MANUALES Y NEUMATICAS
FLEJE ACERO Y PLASTICO**



Profesional **Strap Tool** **Catalog**

for Steel & Plastic Strap



www.rozagrapisa.com



Un'grap[®]

López de Hoyos, 249 28043 Madrid
Ana María, 43 33209 Gijón (Asturias)

TL +34 914166614 +34 914167626 F +34 915193075
TL +34 985162833 F +34 985146622

ROZA-GRAPISA

www.rozagrapisa.com

email comercial@rozagrapi.com
email asturias@rozagrapi.com

Combination Strap Tools for Steel Strap

KZ-19 • <u>Pneumatic Strapping Tool</u>	1
KZ-32 • <u>Pneumatic Strapping Tool</u>	1
KZ-32/19 • <u>Pneumatic Strapping Tool</u>	1
KZ-40/32 • <u>Pneumatic Strapping Tool</u>	2

Combination Strap Tools for Plastic Strap

KZ-19P • <u>Friction Welding Strap Tool for Plastic Strap</u>	2
KZ-25/19/16P • <u>Friction Welding Strap Tool for Plastic Strap</u>	2

Pneumatic Tensioning Tools

KZL-19 • <u>Pneumatic Tensioner Tool</u>	3
KT-32L • <u>Reversible Pneumatic Tensioner Tool</u>	3
KZL-32A • <u>Pneumatic Tensioner Tool</u>	3
KZL-32/25 • <u>Pneumatic Tensioner Tool</u>	3
KZL-40 • <u>Pneumatic Tensioner Tool</u>	3

Pneumatic Sealing Tools

KT-32Y • <u>Pneumatic Bundling Sealer</u>	4
KZS-32/25/19 • <u>Pneumatic Sealer</u>	4
KZS-40/32 • <u>Pneumatic Sealer</u>	4
KZS-40/32/2 • <u>Pneumatic Double Tooth Sealer</u>	4

Manual Tools


SKS-32/19 • <u>Manual Sealer</u>	5
SKS-32 • <u>Manual Sealer</u>	5
SKS-32/2 • <u>Manual Double Toothed Sealer</u>	5
SKL-32A • <u>Manual Ratchet Tensioner</u>	5
SKL-32/19 • <u>Manual Tensioner</u>	5
SKZ-19/16 • <u>Handle Link Strap Tool</u>	6
SM-19/16 • <u>Seal Free Manual Strapping Tool</u>	6

PHQ-9/18 • <u>Spring Balancer</u>	6
PHQ-13/25 • <u>Spring Balancer</u>	6
DJ-12/7 • <u>Short Handle Strap Scissors</u>	7
CJ-25A • <u>Long Handle Strap Scissors</u>	7
GDC-(DJ)16/32 • <u>Strap Holder and Scissors</u>	7
GDC-16/32 • <u>Strap Holder without Scissors</u>	7
GDC-16/40J • <u>Strap Holder and Scissors</u>	7

KZ-19 • Pneumatic Strapping Tool

Strap Material:	Steel
Strap Widths:	5/8" to 3/4" (16mm to 19mm)
Strap Thicknesses:	.015" to .031" (0.38 to 0.8mm)
Tensioning Speed:	18 feet/minute (5.5m/min)
Strap Tension:	>1100 lbs. (4.9kN)
Seal Tension:	>1400 lbs. (6.3kN)
Air Pressure:	70–80 psi (0.4–0.6Mpa)
Tool Weight:	11 lbs. (5kg)

Compare to: Fromm A480; Titan KPR/Maxi; Orgapack CR24A;
Signode AMP-1-34, AHP-34, PNSC 2-12, PNSC 2-58



KZ-32 • Pneumatic Strapping Tool

Strap Material:	Steel
Strap Widths:	1 1/4" (32mm)
Strap Thicknesses:	.031" to .047" (0.8 to 1.2mm)
Tensioning Speed:	13 feet/minute (4.2m/min)
Strap Tension:	>2200 lbs. (9.8kN)
Seal Tension:	>4100 lbs. (18.4kN)
Air Pressure:	60–90 psi (0.4–0.6Mpa)
Tool Weight:	31 lbs. (14kg)


Compare to: Orgapack CR26A, Signode PRH2-114




KZ-32/19 • Pneumatic Strapping Tool

Strap Material:	Steel
Strap Widths:	3/4" to 1 1/4" (19mm to 32mm)
Strap Thicknesses:	.031" to .047" (0.8 to 1.2mm)
Tensioning Speed:	17 feet/minute (5.3m/min)
Strap Tension:	>2200 lbs. (9.8kN)
Seal Tension:	>4100 lbs. (18.4kN)
Air Pressure:	50–90 psi (0.35–0.6Mpa)
Tool Weight:	33 lbs. (15kg)

Compare to: Titan KPR, Orgapack CR26A, Titan MAX-L, Signode PRHR-34



Pneumatic Strap Tools



KZ-40/32 • Pneumatic Strapping Tool

Strap Material:	Steel
Strap Widths:	1 1/4" to 1 1/2" (32mm to 40mm)
Strap Thicknesses:	.040" to .060" (1.0 to 1.5mm)
Tensioning Speed:	17 feet/minute (5.3m/min)
Strap Tension:	>2600 lbs. (11.5kN)
Seal Tension:	>6300 lbs. (28kN)
Air Pressure:	60–90 psi (0.4–0.6Mpa)
Tool Weight:	48 lbs. (22kg)



KZ-19P • Friction Welding Strap Tool for Plastic Strap

Strap Material:	Plastic Strap (PET, PP)
Strap Widths:	1/2" to 3/4" (13mm to 19mm)*
Strap Thicknesses:	.020" to .060" (1.5mm to 5.0mm)
Tensioning Speed:	17 feet/minute (5m/min)
Strap Tension:	>600 lbs. (2.7kN)
Air Pressure:	70–80 psi (0.4–0.6Mpa)
Tool Weight:	11 lbs. (5kg)

*For 1/2" (13mm) strap please specify when ordering.



KZ-25/19/16P • Friction Welding Strap Tool for Plastic Strap

Strap Material:	Plastic Strap (PET, PP)
Strap Widths:	1/2" to 1" (13mm to 25mm)*
Strap Thicknesses:	.020" to .060" (1.5mm to 5.0mm)
Tensioning Speed:	17 feet/minute (5m/min)
Strap Tension:	>600 lbs. (2.7kN)
Air Pressure:	70–80 psi (0.4–0.4Mpa)
Tool Weight:	11 lbs. (5kg)

*Please specify the strap widths for which the tool is intended when ordering.

Pneumatic Tensioners

KZL-19 • Pneumatic Tensioner Tool

Strap Material:	Steel	Strap Tension:	>950 lbs. (4.2kN)
Strap Widths:	5/8"–3/4" (16–19mm)	Air Pressure:	70–80psi (0.4–0.6Mpa)
Strap Thicknesses:	.015" to .031" (0.38 to 0.8mm)	Tool Weight:	5.3 lbs. (2.4kg)
Tensioning Speed:	17 feet/minute (5.5m/min)		

Compare to: Orgapack CR208P, Titan PR33



KT-32L • Reversible Pneumatic Tensioner Tool

Strap Material:	Steel	Strap Tension:	>2200 lbs. (9.8kN)
Strap Widths:	1 1/4" (32mm)	Air Pressure:	60–90psi (0.4–0.6Mpa)
Strap Thicknesses:	.031" to .047" (0.8 to 1.2mm)	Tool Weight:	9.5 lbs. (4.3kg)
Tensioning Speed:	16 feet/minute (5m/min)		


Compare to: Orgapack CR208P, Titan PR33, Signode PN-2-114



KZL-32A • Pneumatic Tensioner Tool

Strap Material:	Steel	Strap Tension:	>2200 lbs. (9.8kN)
Strap Widths:	1–1 1/4" (25–32mm)	Air Pressure:	60–90psi (0.4–0.6Mpa)
Strap Thicknesses:	.031" to .047" (0.8 to 1.2mm)	Tool Weight:	10.5 lbs. (4.8kg)
Tensioning Speed:	17 feet/minute (5.5m/min)		

Compare to: Orgapack CR208P, Titan PR33, Signode PN-2-114



KZL-32/25 • Pneumatic Tensioner Tool

Strap Material:	Steel	Strap Tension:	>5700 lbs. (8.5kN)
Strap Widths:	1"–1 1/4" (25 to 32mm)	Air Pressure:	60–90psi (0.4–0.6Mpa)
Strap Thicknesses:	.031" to .047" (0.8 to 1.2mm)	Tool Weight:	11 lbs. (5.5kg)
Tensioning Speed:	17 feet/minute (5.3m/min)		

Compare to: Orgapack CR208P, Titan PR33




KZL-40 • Pneumatic Tensioner Tool

Strap Material:	Steel	Strap Tension:	>2600 lbs. (11.5kN)
Strap Widths:	1 1/2" (40mm)	Air Pressure:	60–90psi (0.4–0.6Mpa)
Strap Thicknesses:	.031" to .078" (0.8 to 2.0mm)	Tool Weight:	11 lbs. (5kg)
Tensioning Speed:	17 feet/minute (5.3m/min)		




Pneumatic Sealers



KT-32Y • Pneumatic Bundling Sealer

Strap Material:	Steel
Strap Widths:	1 1/4" (32mm)
Strap Thicknesses:	.031"-.047" (0.8 to 1.2mm)
Seal Type:	Tape Seal
Seal Tension:	3800 lbs. to notch (16.8kN)
Air Pressure:	60-90 psi (0.4-0.6Mpa)
Tool Weight:	6.6 lbs. (3.0kg)

Compare to: Titan SPZ, Signode RCNS2-114, Orgapack OR-V40P



K2S-32/25/19 • Pneumatic Sealer

Strap Material:	Steel
Strap Widths:	3/4"-1 1/4" (19-32mm)*
Strap Thicknesses:	.031"-.047" (0.8 to 1.2mm)
Seal Type:	Tape Seal
Seal Tension:	>3800 lbs. (16.8kN)
Air Pressure:	70-90 psi (0.45-0.6Mpa)
Tool Weight:	7 lbs. (3.2kg)

Compare to: Orgapack OR-V40P, Titan SPZ


*Strap width change requires additional parts.



K2S-40/32 • Pneumatic Sealer

Strap Material:	Steel
Strap Widths:	1 1/4"-1 1/2" (32-40mm)
Strap Thicknesses:	.031"-.078" (0.8 to 2.0mm)
Seal Type:	Tape Seal
Seal Tension:	>3800 lbs. (16.8kN)
Air Pressure:	70-90 psi (0.45-0.6Mpa)
Tool Weight:	8.8 lbs. (4.0kg)

Compare to: Orgapack OR-V40P, Titan SPZ, Signode NSP-1435




K2S-40/32/2 • Pneumatic Double Tooth Sealer

Strap Material:	Steel
Strap Widths:	1 1/4" to 1 1/2" (32-40mm)
Strap Thicknesses:	.031" to .078" (0.8 to 2.0mm)
Seal Type:	Tape Seal
Seal Tension:	>3800 lbs. (16.8kN)
Air Pressure:	70-90 psi (0.45-0.6Mpa)
Tool Weight:	8.8 lbs. (4.0kg)

Compare to: Orgapack OR-V41P; Signode N-1444, N1457

SKS-32/19 • Manual Sealer


Strap Material:	Steel	Seal Type:	Tape Seal
Strap Widths:	1"-1 1/4" (25-32mm)	Tool Weight:	6.6 lbs. (3kg)
Strap Thicknesses:	.031"-.047" (0.8-1.2mm)		



SKS-32 • Manual Sealer

Strap Material:	Steel	Seal Type:	Tape Seal
Strap Widths:	1 1/4" (32mm)	Tool Weight:	6.6 lbs. (3kg)
Strap Thicknesses:	.031"-.047" (0.8-1.2mm)		


Compare to: Titan HHA, Signode SYC-3431



SKS-32/2 • Manual Double Toothed Sealer

Strap Material:	Steel	Seal Type:	Tape Seal
Strap Widths:	1 1/4" (32mm)	Tool Weight:	7.3 lbs. (3.3kg)
Strap Thicknesses:	.031"-.047" (0.8-1.2mm)		

Compare to: Signode RCD-1431



SKL-32A • Manual Ratchet Tensioner

Strap Material:	Steel	Tensioning Speed:	17 feet/minute
Strap Widths:	3/4"-1 1/4" (19-32mm)	Strap Tension:	1600 lbs. (7.0kg)
Strap Thicknesses:	.031"-.047" (0.8-1.2mm)	Tool Weight:	8.8 lbs. (4.0kg)

Compare to: Titan HR32




SKL-32/19 • Manual Tensioner

Strap Material:	Steel	Tensioning Speed:	17 feet/minute
Strap Widths:	3/4"-1 1/4" (19-32mm)	Strap Tension:	>2200 lbs. (9.8kN)
Strap Thicknesses:	.031"-.047" (0.8-1.2mm)	Tool Weight:	33 lbs. (15kg)

Compare to: Signode PH-2



Manual Tools/Balancers



SKZ-19/16 • Handle Link Strap Tool

Strap Material:	Steel
Strap Widths:	5/8"–3/4" (16–19mm)
Strap Thicknesses:	0.17"–.035" (0.38–0.90mm)
Tensioning Speed:	17 feet/minute (5.5m/minute)
Strap Tension:	>1600 lbs. (7.0kN)
Tool Weight:	7.9 lbs. (3.6kg)


Compare to: Fromm A431, Signode RCD-3431



SM-19/16 • Seal Free Manual Strapping Tool

Strap Material:	Steel
Strap Widths:	5/8"–3/4" (16–19mm)
Strap Thicknesses:	0.17"–.035" (0.38–0.90mm)
Seal Type:	Concave-Convex Seal
Tensioning Speed:	17 feet/minute (5.5m/minute)
Strap Tension:	>1600 lbs. (7.0kN)
Tool Weight:	8.6 lbs. (3.9kg)

Compare to: Fromm A333; Orgapack CH48, OR-H47; Titan HKE, Signode SCMH-58, SCMH-34



PHQ-9/18 • Spring Balancer

Working Length:	3.3 feet (1000mm)
Hanging Weight:	20–40 lbs. (9–18kg)
Tool Weight:	7.9 lbs. (3.6kg)



PHQ-13/25 • Spring Balancer

Working Length:	5.6 feet (1700mm)
Hanging Weight:	28–55 lbs. (13–25kg)
Tool Weight:	17 lbs. (7.7kg)

Strap Scissors/Holders

DJ-12/7 • Short Handle Strap Scissors

Strap Material:	Steel
Strap Thicknesses:	Up to .060" (1.5mm)
Tool Length:	11.8" (30cm)
Tool Weight:	2.2 lbs. (1kg)

Compare to: Orgapack JW913



CJ-25A • Long Handle Strap Scissors

Strap Material:	Steel
Strap Thicknesses:	Up to .098" (2.5mm)
Tool Length:	23.6" (60cm)
Tool Weight:	11 lbs. (5kg)

Compare to: Orgapack JW914



GDC-(DJ) 16/32 • Strap Holder and Scissors GDC-16/32 • Strap Holder without Scissors

Strap Material:	Steel
Strap Widths:	Up to 1 1/4" (32mm)
Strap Thicknesses:	No Limit
Max. Roll Diameter:	Up to 27.5" (700mm)
Tool Weight:	40 lbs. (18kg) with scissors 33 lbs. (15kg) without scissors



GDC-16/40J • Strap Holder and Scissors

Strap Material:	Steel
Strap Widths:	Up to 1 1/2" (40mm)
Strap Thicknesses:	No Limit
Max. Roll Diameter:	Up to 27.5" (700mm)
Tool Weight:	40 lbs. (18kg)

Compare to: Orgapack OR-A521

