

# RE·BAR·TIER

BATTERY OPERATED REBAR TYING TOOL

Uses 16 ga. wire, #5 x #5 up to #8 x #9

**RB655**



Up to  
#8 x #9



One wrap / tie

Equipped with a  
TORQUE ADJUSTMENT DIAL

**16 Ga. TIE WIRE** 50 coils / box

TW1525: Regular steel wire  
TW1525-EG: Electro galv. wire  
TW1525-PC: Polyester-coated wire



**OPTION**

Extension bar (JE500)



**STANDARD EQUIPMENT**

- 2 Batteries
- Battery charger
- Case
- Holster



+

Holster (JH500)

**FEATURES**

- ✓ Quick tying ability, each tie takes less than one-second
- ✓ About 5 times faster than manual tying
- ✓ One hand operation, speeds setup time
- ✓ Reduces risk of health problem
- ✓ Light weight & compact body
- ✓ Learn to operate in just minutes



Carpal tunnel syndrome

Both the National Institute for Occupational Safety and Health and Health Construction Safety Association of Ontario state the MAX Re-bar Tying Tool reduces the risk of Carpal Tunnel Syndrome and other work related musculoskeletal disorders.

**SPECIFICATIONS**

TOOL	RB655
WEIGHT	7.2 lbs.
DIMENSIONS(H)x(W)x(L)	13-3/8" x 4" x 13-3/8"
TYING SPEED	0.8-1.1 seconds / tie
WRAPS PER TIE	One wrap
TIES PER COIL	120 to 230 ties
TIES PER CHARGE	2 to 4 coils
BATTERY	JP509H (Ni-Mh)
VOLTAGE	DC 9.6 V (3.3 Ah)
RECHARGE TIME	Approx. 30 minutes

**HIGH SPEED TYING  
ONE HAND OPERATION  
REDUCES RISK OF HEALTH PROBLEMS  
LEARN TO OPERATE IN JUST MINUTES**

Uses 21 ga. wire, #3 x #3 up to #5 x #6

**RB398**



Up to  
#5 x #6



3 wraps / tie

Equipped with a  
TORQUE ADJUSTMENT DIAL

**LITHIUM-ION**

Uses 21 ga. wire, ties up to #3 x #3

**RB218**



Up to  
#3 x #3



3 wraps / tie

Equipped with a  
WIRE LENGTH ADJUSTMENT DIAL

**LITHIUM-ION**

Uses 21 ga. wire, #5 x #5 up to #7 x #8

**RB518**



Up to  
#7 x #8



3 wraps / tie  
OR

4 wraps / tie

Equipped with a  
TORQUE ADJUSTMENT DIAL

**LITHIUM-ION**

# RE·BAR·TIER

BATTERY OPERATED REBAR TYING TOOL

**21 Ga. TIE WIRE** 50 coils / box

TW898: Regular steel wire

TW898-EG: Electro galv. wire

TW898-PC: Polyester-coated wire



(TW898-EG is not recommended for use in the RB518)

**New 21ga.wire TW898 series**

TW898 replaces TW897A and works with RB398, RB518, RB218 and older models



**STANDARD EQUIPMENT ( For RB398, RB518 and RB218 )**

- Battery pack JPL91440A
- AC Battery charger JC914
- Plastic carry case
- Reversible belt hook ( Left or Right )

**14.4 V Lithium-ion battery**



JPL91440A

**Battery charger**



JC914

**OPTION**

Extension bar (JE200)



Tool cover (JT450)



**SPECIFICATIONS**

TOOL	RB398	RB218	RB518
WEIGHT	5.3 lbs.	5.3 lbs.	5.3 lbs.
DIMENSIONS(H)x(W)x(L)	12" x 4"-1/8" x 11-3/8"	12" x 4-1/8" x 10-5/8"	12" x 4"-1/8" x 12"
TYING SPEED	Less than 1 second / tie	Less than 1 second / tie	Less than 1 second / tie
WRAPS PER TIE	3 wraps	3 wraps	3 or 4 wraps
TIES PER COIL	Approx. 120 ties	Approx. 170 to 210 ties	Approx. 90 ties (3 wraps) Approx. 75 ties (4 wraps)
TIES PER CHARGE	Approx. 2,600 ties	Approx. 3,000 ties	Approx. 2,400 ties (3 wraps) Approx. 2,200 ties (4 wraps)
BATTERY	JPL91440A (Lithium-ion Battery)		
VOLTAGE	DC 14.4 V		
RECHARGE TIME	Approx. 40 minutes		