

Built-in Mech-Sensor



Ungrap | San Vicente Mártir, 20 28043 MADRID TI +34 914166614 Fax +34 915193075 Ana María, 47 33209 GIJON TI +34 985162833 Fax +34 985146622



LABEL APPLICATOR A PSeries






A Mech-Sensor combines with a sensor that automatically detects labels of different strokes to eliminate the need for manual alignment when you load labels.


- For pre-printed general roll labels. No special (punched or slit) labels or separators required.
- Supports use of label size from 18 x 20mm up to 60 x 100mm.





MODEL	LABEL GAP(mm)	LABEL SIZE(mm)		MAX. OUTSIDE
		STROKE	WIDTH	DIAMETER(mm)
APN-30	2-3	18-60	20-30	
APN-60			25-60	100
APN-100			50-100	

catches the label and automatically detects the stroke for smooth feeding.









A new slidable Mech-Sensor provides support for round, oval, and other non-rectangular shape labels.

- For eye-catching labels of various shapes that appeal to customers.
- Supports use of the label size from 20 x 20mm up to 60 x 100mm. For pre-printed general roll labels. No special (punched or slit) labels or separators required.






of the label

	MODEL	LABEL	LABEL SIZE(mm)		MAX. OUTSIDE
	MODEL	GAP(mm)	STROKE	WIDTH	DIAMETER(mm)
	APF-30	2-3	20-60	20-30	100
	APF-60			20-60	
-	APF-100			20-100	

	MODEL	LABEL GAP(mm)	LABEL SIZE(mm)		MAX. OUTSIDE
			STROKE	WIDTH	DIAMETER(mm)
	APF-30	2-3	20-60	20-30	100
	APF-60			20-60	
	APF-100			20-100	





The smaller the label it is when you dispense, the more troublesome it becomes..... It assures high performance for small labels.

The new type of a premium tool, APN10-30 assures high performance for samll labels.

- For pre-printed general roll labels. No special (punched or slit) labels or separators required.
- Supports use of label size from 10x30mm up to 60x30mm.

	MODEL	LABEL	LABEL SIZE(mm)		MAX. OUTSIDE
		GAP(mm)	STROKE	WIDTH	DIAMETER(mm
	APN10-30	2-3	10-60	20-30	100

Notice

- Labels must be more than 50 µm thick for all models.
- Some types of film, synthetic paper, and other special labels may not be supported.
- Please ask our distributor for details before using special labels.
- We reserve the right to change specifications without notice for improvement.

OJP PAT. 2708677, 2708680

TOWA CO.,LTD.





San Vicente Mártir, 20 28043 MADRID TI +34 914166614 Fax +34 915193075 Ana María, 47 33209 GIJON TI +34 985162833 Fax +34 985146622

TOWA LABEL APPLICATOR APN10



The new type of a premium tool.

The smaller the label it is when you dispense, the more troublesome it becomes..... It assures high performance for small labels.





San Vicente Mártir, 20 28043 MADRID TI +34 914166614 Fax +34 915193075 Ana María, 47 33209 GIJON TI +34 985162833 Fax +34 9851 TI +34 985162833 Fax +34 985146622

